MATERIAL SAFETY DATA SHEET

MSDS No: 17003

MANUFACTURER'S NAME: PRODUCT NAME: Smart Blend Transmission Flush

Life Automotive Products, Inc.

ADDRESS: HAZARD MATERIAL ID SYSTEM:

500 Industrial Park Dr. H-1 F-1 R-0 PP-B

Selmer, TN 38375

Emergency Contact: CHEMTREC

Emergency Telephone Number: 800-424-9300

SECTION 1 - DESCRIPTION

PRODUCT NAME: Smart Blend Transmission Flush

DOT SHIPPING NAME: N/A

DOT HAZARD CLASS: Non Hazardous

CAS REGISTRY NUMBER:

CHEMICAL NAME: Synthetic/Hydrocarbon Blend

PREPARER: Mike Armstrong, 04/2006

SECTION 2 - HAZARDOUS INGREDIENTS

COMPONENTS: A. 50-75% 64742-46-7 Mineral Oil

64742-54-7 Mineral Oil

B. < 1% 68649-42-3 Zinc Alkyl Dithiophosphate

C. 30-50% Proprietary Non-Hazardous Additive

D. < 5% Proprietary Non-Hazardous Additive

SECTION 3 - PHYSICAL DATA

BOILING POINT, DEG F: 480 SOLUBILITY IN WATER: not soluble

MELTING POINT, DEG F: N/A ODOR: slight

SPECIFIC GRAVITY: 0.88
APPEARANCE: Amber liquid

SECTION 4 - FIRE AND EXPLOSION DATA

FLASH POINT, DEG F: above 260°F

EXTINGUISHING MEDIUM: water fog, foam, dry chemical, carbon dioxide

SPECIAL FIRE FIGHTING PROCEDURES: Use water spray to cool exposed containers

Fire fighting personnel should use respiratory protection.

UNUSUAL FIRE EXPLOSION HAZARDS: product of combustion includes fumes & CO2

SECTION 5 - REACTIVITY HAZARDS

STABILITY: stable MATERIAL TO AVOID: strong

oxidizers,

strong acids & bases

HAZARDOUS POLYMERIZATION: will not CONDITION TO AVOID: open flame &

extreme heat

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of Carbon, Nitrogen & Zinc, Sulfur & Phosphorus, Methacrylate Monomers. Under certain conditions, Ammonia & Hydrogen Sulfide.

SECTION 6 - HEALTH HAZARD INFORMATION

ROUTE OF ENTRY: X INHALATION X SKIN X INGESTION

Acute/Chronic Overexposure:

Eyes: Components of this product have been determined to be irritating and

corrosive to eyes.

Skin: Components of this product have been determined to be irritating and

corrosive to skin.

<u>Inhalation:</u> Breathing mists and vapors may cause slight respiratory tract

irritation. Breathing vapors from product when heated to temperatures above 150°F which then may contain Hydrogen Sulfide, can also cause headaches,

dizziness, nausea, coughing, bronchial irritation and dryness, and in sufficient quantities, unconsciousness.

Ingestion: Minor components (<5%) of this product have been determined
to</pre>

be mildly to moderately toxic (LD50: <1/5q/kg).

Signs and Symptoms of Overexposure:

Eyes: May cause irritation and damage if not treated immediately.

<u>Skin:</u> Prolonged or repeated contact may cause irritation as indicated redness, swelling, blistering and dermititis.

<u>Inhalation:</u> Breathing mists and vapors may cause slight respiratory tract

irritation. Breathing vapors when heated to temperatures above $150^{\circ}F$ which

may then contain Hydrogen Sulfide, can also cause headaches, dizziness, nausea, coughing, bronchial irritation and dryness, and in sufficient quantities, unconsciousness.

<u>Ingestion:</u> Oral exposure may result in nausea, vomiting and diarrhea along

with irritation of the mouth and throat.

None of the ingredients are listed as carcinogens.

Threshold Limit Value (TLV): This product does not contain any components

which have recognized exposure limits. However a TLV of 5.0 mg/cubic meter for mist oil.

•

Emergency and First Aid Procedures:

Eyes: DO NOT RUB EYES. Immediately wash eyes with large amounts of water for at least 15 minutes. Remove contact lenses before washing. Seek medical attention immediately.

 $\underline{Skin:}$ Remove material from skin by patting or blotting with a clean cloth.

Wash exposed areas with soap and water for at least 15 minutes. Seek medical attention immediately. Do not reuse contaminated clothing until laundered. Discard all contaminated leather goods.

<u>Inhalation:</u> If symptoms of Hydrogen Sulfide exposure are indicated, remove

individual(s) to fresh air and administer oxygen. Seek medical attention immediately.

<u>Ingestion:</u> DO NOT INDUCE VOMITING. If vomiting occurs spontaneously, watch for signs of aspiration. Seek medical attention immediately.

SECTION 7 - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: normally not required with adequate ventilation;

if exposure exceeds limits, use NIOSH/MSHA approved air respirator VENTILATION: if mists are present, provide adequate ventilation to control level below the Permissiable Exposure Limit

OTHER: none usually required

SECTION 8 - SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES

HANDLING & STORAGE PRECAUTIONS: Keep away from fire, flame & sparks OTHER PRECAUTIONS: never wear oil soaked clothing; discard oil soaked shoes; affix proper warning labels on containers according to 29 CFR 1010.1200

IN CASE OF SPILLS: no unusual hazard; use pump and/or oil absorbent; keep from entering waterways and sewers

WASTE DISPOSAL METHODS: dispose according to current local, state and Federal regulations; consider recycling; NOTE: material may become a hazardous waste through use

NOTE: The above information is based on data of which we are aware and is believed to be correct. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Life Automotive Products, Inc. assumes no

responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the datasheet. Additionally, we assume no

responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in his use of the material.