



SAFETY DATA SHEET

Section 1: IDENTIFICATION

1.1 PRODUCT IDENTIFIER

Product Name: Lubegard® Automatic Transmission Flush
Product Code: 95001, 95005, 95550

1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE

Use: Cleaner.

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Name/Address: International Lubricants, Inc.
P.O. Box 24743, Seattle WA
98124-0743, USA
Telephone Number: (206) 762-5343
(800) 333-LUBE (5823)

1.4 EMERGENCY TELEPHONE NUMBER

Emergency Telephone Number: CHEM TEL (800) 255-3924
CHEM TEL (813) 248-0585

Section 2: HAZARD(S) IDENTIFICATION

2.1 CLASSIFICATION OF THE CHEMICAL ACCORDING TO OSHA HAZCOM 2012

This product is not hazardous according to OSHA HazCom 2012.

2.2 LABEL ELEMENTS ACCORDING TO OSHA HAZCOM 2012

Hazard Pictogram: Not applicable.
Signal Word: Not applicable.
Hazard Statement: Not applicable.
Prevention: Not applicable.
Response: Not applicable.
Storage: Not applicable.
Disposal: Not applicable.

2.3 ADDITIONAL INFORMATION

Hazards not otherwise classified: Not applicable.

91 % of the mixture consists of ingredient(s) of unknown acute toxicity.

WHMIS Classification(s):
Class D2B – Eye Irritant

WHMIS Hazard Symbols:



WHMIS Signal Word: CAUTION

**SAFETY DATA SHEET****Section 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.1 MIXTURES**

Ingredient	CAS No	Wt. %
Lubricating oils, refined used	68476-77-7	60 - 100
Benzenesulfonic acid, mono-C16-24-alkyl derivatives, calcium salts	70024-69-0	1 - 5

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

Section 4: FIRST-AID MEASURES**4.1 DESCRIPTION OF THE FIRST AID MEASURE**

Eye:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. If irritation persists, get medical attention.
Skin:	In case of contact, immediately flush skin with plenty of water. Call a physician if irritation develops and persists.
Inhalation:	If inhaled, remove person to fresh air and keep them in a position comfortable for breathing. Get medical attention if condition worsens.
Ingestion:	If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Seek medical attention or call poison control immediately.

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Eye:	May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production.
Skin:	May cause skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.
Inhalation:	May cause respiratory tract irritation.
Ingestion:	May cause stomach distress, nausea or vomiting.

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENTS NEEDED

Note to Physicians:	Symptoms may not appear immediately.
Specific Treatments:	In case of accident or if you feel unwell, seek medical advice immediately (show the label or MSDS where possible).

Section 5: FIRE-FIGHTING MEASURES**5.1 FLAMMABILITY**

Flammability:	Not flammable by WHMIS/OSHA criteria.
----------------------	---------------------------------------

5.2 EXTINGUISHING MEDIA

Suitable Extinguishing Media:	Powder, water spray, foam, carbon dioxide.
Unsuitable Extinguishing Media:	Do not use a direct stream of water.



SAFETY DATA SHEET

5.3 SPECIAL HAZARDS ARISING FROM THE CHEMICAL

Products of Combustion: May include, and are not limited to: oxides of carbon.

Explosion Data:

Sensitivity to Mechanical Impact: Not available.

Sensitivity to Static Discharge: Not available.

5.4 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

Section 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING - UP

Methods for Containment: Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for Cleaning-Up: Scoop up material and place in a disposal container. Provide ventilation.

Section 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Handling: Avoid contact with skin and eyes. Do not swallow. Do not breathe gas/fumes/vapor/spray. Handle and open container with care. When using do not eat or drink. (See section 8)

General Hygiene Advice: Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Storage: Keep out of the reach of children. Keep container tightly closed. Do not store at temperatures above 49 °C / 120 °F. (See section 10)

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

Exposure Guidelines

Occupational Exposure Limits		
Ingredient	OSHA-PEL	ACGIH-TLV
Lubricating oils, refined used	Not available.	Not available.
Benzenesulfonic acid, mono-C16-24-alkyl derivatives, calcium salts	Not available.	Not available.

8.2 EXPOSURE CONTROLS

Engineering Controls: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.



SAFETY DATA SHEET

8.3 INDIVIDUAL PROTECTIVE MEASURES

Personal Protective Equipment:

Eye/Face Protection: Safety glasses or goggles are recommended when using product.

Skin Protection:

Hand Protection: Wear chemically resistant protective gloves.

Body Protection: Wear suitable protective clothing.

Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

General Health and Safety Measures: Handle according to established industrial hygiene and safety practices.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear.
Color:	Brown.
Odor:	Petroleum odor.
Odor Threshold:	Not available.
Physical State:	Liquid.
pH:	Not available.
Melting Point/Freezing Point:	Not available.
Initial Boiling Point and Boiling Range:	Not available.
Flash Point:	> 293 °C (> 560 °F)
Evaporation Rate:	< 1 (Butyl Acetate = 1)
Flammability:	Not flammable.
Lower Flammability/Explosive Limit:	Not available.
Upper Flammability/Explosive Limit:	Not available.
Vapor Pressure:	< 0.1 mm Hg @ 25° C (77° F)
Vapor Density:	> 1 (Air = 1)
Relative Density/Specific Gravity:	0.878
Solubility:	Negligible.
Partition coefficient: n-octanol/water:	Not available.
Auto-ignition Temperature:	Not available.
Decomposition Temperature:	Not available.
Viscosity:	32.2 cSt @ 40° C (104° F)
Explosive Properties:	Not available.
Oxidizing Properties:	Not available.

**SAFETY DATA SHEET****Section 10: STABILITY AND REACTIVITY****10.1 REACTIVITY**

No dangerous reaction known under conditions of normal use.

10.2 CHEMICAL STABILITY

Stable under normal storage conditions.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No dangerous reaction known under conditions of normal use.

10.4 CONDITIONS TO AVOID

Heat. Incompatible materials.

10.5 INCOMPATIBLE MATERIALS

Acids. Oxidizers.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

May include, and are not limited to: oxides of carbon.

Section 11: TOXICOLOGICAL INFORMATION**11.1 INFORMATION ON TOXICOLOGICAL EFFECTS**

Likely Routes of Exposure: Eye contact, skin contact, inhalation, ingestion.

Symptoms related to physical/chemical/toxicological characteristics:

Eye: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production.

Skin: May cause skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.

Ingestion: May cause stomach distress, nausea, or vomiting.

Inhalation: May cause respiratory tract irritation.

Acute Toxicity:

Ingredient	LC50	LD50
Lubricating oils, refined used	Not available.	Not available.
Benzenesulfonic acid, mono-C16-24-alkyl derivatives, calcium salts	Not available.	Oral Rat >5000 mg/kg; Dermal Rat >2000 mg/kg

Calculated overall Chemical Acute Toxicity Values

LC50 (inhalation)	LD50 (oral)	LD50 (dermal)
Not available.	> 2000 mg/kg, rat	> 2000 mg/kg, rabbit

Ingredient	Chemical Listed as Carcinogen or Potential Carcinogen (NTP, IARC, OSHA, ACGIH, CP65)*
Lubricating oils, refined used	Not listed.
Benzenesulfonic acid, mono-C16-24-alkyl derivatives, calcium salts	Not listed.

* See Section 15 for more information.



SAFETY DATA SHEET

11.2 DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT- AND LONG-TERM EXPOSURE

Skin Corrosion/Irritation:	Based on available data, the classification criteria are not met.
Serious Eye Damage/Irritation:	May cause eye irritation.
Respiratory Sensitization:	Based on available data, the classification criteria are not met.
Skin Sensitization:	Based on available data, the classification criteria are not met.
STOT-Single Exposure:	Based on available data, the classification criteria are not met.
Chronic Health Effects:	
Carcinogenicity:	Based on available data, the classification criteria are not met.
Germ Cell Mutagenicity:	Based on available data, the classification criteria are not met.
Reproductive Toxicity:	
Developmental:	Based on available data, the classification criteria are not met.
Teratogenicity:	Based on available data, the classification criteria are not met.
Embryotoxicity:	Based on available data, the classification criteria are not met.
Fertility:	Based on available data, the classification criteria are not met.
STOT-Repeated Exposure:	Based on available data, the classification criteria are not met.
Aspiration Hazard:	Based on available data, the classification criteria are not met.
Toxicologically Synergistic Materials:	Not available.
Other Information:	Not available.

Section 12: ECOLOGICAL INFORMATION

12.1 ECOTOXICITY

Acute/Chronic Toxicity: May cause long-term adverse effects in the aquatic environment.

12.2 PERSISTENCE AND DEGRADABILITY

Not available.

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: Not available.

12.4 MOBILITY IN SOIL

Not available.

12.5 OTHER ADVERSE EFFECTS

Not available.

Section 13: DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Disposal Method: This material must be disposed of in accordance with all local, state, provincial, and federal regulations.

Other disposal recommendations: Not available.

**SAFETY DATA SHEET****Section 14: TRANSPORT INFORMATION****14.1 UN NUMBER****DOT**

Not regulated.

TDG

Not regulated.

14.2 UN PROPER SHIPPING NAME**DOT**

Not applicable.

TDG

Not applicable.

14.3 TRANSPORT HAZARD CLASS (ES)**DOT**

Not applicable.

TDG

Not applicable.

14.4 PACKING GROUP**DOT**

Not applicable.

TDG

Not applicable.

14.5 ENVIRONMENTAL HAZARDS

Not available.

14.6 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE

Not available.

14.7 SPECIAL PRECAUTIONS FOR USER

Do not handle until all safety precautions have been read and understood.

Section 15: REGULATORY INFORMATION**15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/ LEGISLATIONS SPECIFIC FOR THE CHEMICAL**

Canada: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

US: SDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

SARA Title III				
Ingredient	Section 302 (EHS) TPQ (lbs.)	Section 304 EHS RQ (lbs.)	CERCLA RQ (lbs.)	Section 313
Lubricating oils, refined used	Not listed.	Not listed.	Not listed.	Not listed.
Benzenesulfonic acid, mono-C16- 24-alkyl derivatives, calcium salts	Not listed.	Not listed.	Not listed.	Not listed.

State Regulations**California Proposition 65:**

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

**SAFETY DATA SHEET****Global Inventories:**

Ingredient	Canada DSL/NDSL	USA TSCA
Lubricating oils, refined used	DSL	Yes.
Benzenesulfonic acid, mono-C16-24-alkyl derivatives, calcium salts	DSL	Yes.

NFPA National Fire Protection Association:

Health:	1
Fire:	1
Reactivity:	0

HMIS-Hazardous Materials Identification System

Health:	1
Fire:	1
Physical Hazard:	0

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

CP65 California Proposition 65

OSHA (O) Occupational Safety and Health Administration.

ACGIH (G) American Conference of Governmental Industrial Hygienists.

- A1 - Confirmed human carcinogen.
- A2 - Suspected human carcinogen.
- A3 - Animal carcinogen.
- A4 - Not classifiable as a human carcinogen.
- A5 - Not suspected as a human carcinogen.

IARC (I) International Agency for Research on Cancer.

- 1 - The agent (mixture) is carcinogenic to humans.
- 2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.
- 2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.
- 3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.
- 4 - The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.

NTP (N) National Toxicology Program.

- 1 - Known to be carcinogens.
- 2 - Reasonably anticipated to be carcinogens.

Section 16: OTHER INFORMATION

Date of Preparation: May 30, 2014

Expiry Date: May 30, 2017

Version: 1.0

Revision Date: May 30, 2014

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.



Conforms to OSHA HazCom 2012 & CPR Standards

SAFETY DATA SHEET

Prepared by: Nexreg Compliance Inc.
Phone: (519) 488-5126
www.nexreg.com

Prepared for: International Lubricants, Inc.

End of Safety Data Sheet