

Product Hopkins-DUO Vanilla(SGC-7556MOD)

Print Date 14.01.2014 Page 1 (7)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name : Hopkins-DUO Vanilla(SGC-7556MOD)

Use of the Substance/Mixture : Fragrance for consumer product

Company : INTERNATIONAL FLAVORS & FRAGRANCES

IFF (CHINA) LIMITED

DISTRICT 9 JINHUA 2ND STR,

GUANGZHOU ECONOMIC & TECHNOLOGICAL510730

GUANGZHOU GUANGDONGChina

Telephone : +862082219838 Emergency telephone number : +86 20 8221 9838

2. HAZARDS IDENTIFICATION

GHS-Classification

Flammable liquids, Category 3
Acute toxicity, Category 5, Oral
Skin corrosion/irritation, Category 3
Serious eye damage/eye irritation, Category 2A
Skin sensitization, Category 1
Acute aquatic toxicity, Category 2
Chronic aquatic toxicity, Category 2

GHS-Labelling

Symbol(s) :





Signal word : Warning

Hazard statements : H226: Flammable liquid and vapour.

H303: May be harmful if swallowed. H316: Causes mild skin irritation.

H317: May cause an allergic skin reaction. H319: Causes serious eye irritation.

H411: Toxic to aquatic life with long lasting effects.

Precautionary statements : P210: Keep away from heat/sparks/open flames/hot surfaces. - No

smoking.

P233: Keep container tightly closed.

P240: Ground/bond container and receiving equipment. P241: Use explosion-proof electrical/ ventilating/ lighting/

equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

Version : 1

Revision Date : 14.01.2014



Product Hopkins-DUO Vanilla(SGC-7556MOD)

Print Date 14.01.2014 Page 2 (7)

P261: Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264: Wash skin thoroughly after handling.

P272: Contaminated work clothing should not be allowed out of the workplace.

P273: Avoid release to the environment.

P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.

P303 + P361 + P353: IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312: Call a POISON CENTER or doctor/ physician if you feel unwell.

P321: Specific treatment (see supplemental first aid instructions on this label).

P333 + P313: If skin irritation or rash occurs: Get medical advice/attention.

P337 + P313: If eye irritation persists: Get medical advice/ attention.

P363: Wash contaminated clothing before reuse.

P370 + P378: In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

P391: Collect spillage.

P403 + P235: Store in a well-ventilated place. Keep cool.

P501: Dispose of contents/ container to an approved waste disposal

plant.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical nature : Fragrance for consumer product

Hazardous components

Chemical Name	CAS-No.	Concentration
1-Hexanol, 3,5,5-trimethyl-, acetate	58430-94-7	10 - 30%
Benzenemethanol	100-51-6	10 - 30%
Acetic acid, hexyl ester	142-92-7	10 - 30%
Benzaldehyde, 3-ethoxy-4-hydroxy-	121-32-4	5 - 10%
Cyclopenta[g]-2-benzopyran, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl-	1222-05-5	5 - 10%
Heptanoic acid, 2-propenyl ester	142-19-8	1 - 5%
Cyclopentaneacetic acid, 3-oxo-2-pentyl-, methyl ester	24851-98-7	1 - 5%
Cyclohexene, 1-methyl-4-(1-methylethenyl)-	138-86-3, 5989-27-5, 5989- 54-8	1 - 5%

Version : 1

Revision Date : 14.01.2014



Product Hopkins-DUO Vanilla(SGC-7556MOD)

Print Date 14.01.2014 Page 3 (7)

2(3H)-Furanone, dihydro-5-pentyl-	104-61-0	1 - 5%
Benzaldehyde, 4-hydroxy-3-methoxy-	121-33-5	1 - 5%
2H-1-Benzopyran-2-one	91-64-5	1 - 5%
Cyclohexanol, 2-(1,1-dimethylethyl)-,	88-41-5	1 - 5%
acetate		
Cyclohexanemethanol, .#methyl-,	13487-27-9	1 - 5%
acetate		
Benzenemethanol, ar-methoxy-, acetate	1331-83-5, 104-21-2	1 - 5%
Benzaldehyde, 4-methoxy-	123-11-5	1 - 5%
4H-Pyran-4-one, 2-ethyl-3-hydroxy-	4940-11-8	1 - 5%
Acetic acid ethyl ester	141-78-6	1 - 5%
Butanoic acid, ethyl ester	105-54-4	1 - 5%
2(3H)-Furanone, 5-heptyldihydro-	104-67-6	1 - 5%
Butanoic acid, 1-cyclohexylethyl ester	63449-88-7	1 - 5%
Phenol, 2,6-bis(1,1-dimethylethyl)-4-	128-37-0	0.1 - 1%
methyl-		
1,4-Dioxacyclohexadecane-5,16-dione	54982-83-1	0.1 - 1%
	27939-60-2, 68039-48-5,	0.1 - 1%
	68039-49-6, 68737-61-1,	
	35145-02-9, 36635-35-5,	
	68084-52-6	
2-Propenal, 2-methyl-3-phenyl-	101-39-3	0.1 - 1%
Benzoic acid, 2-hydroxy-, phenylmethyl	118-58-1	0.1 - 1%
ester		
2,6-Octadienal, 3,7-dimethyl-	5392-40-5	0.1 - 1%
2,3-Pentanedione	600-14-6	0.1 - 1%
2,3-Butanedione	431-03-8	0.1 - 1%

4. FIRST AID MEASURES

Inhalation : Remove from exposure site to fresh air and keep at rest. Obtain

medical advice.

Skin contact : Remove contaminated clothes. Wash thoroughly with water (and

soap). Contact physician if symptoms persist.

Eye contact : Flush immediately with water for at least 15 minutes. Contact

physician if symptoms persist.

Ingestion : Rinse mouth with water and obtain medical advice.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Carbondioxide, dry chemical, foam.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Avoid inhalation and contact with skin and eyes. A self-contained

Version : 1

Revision Date : 14.01.2014



Product Hopkins-DUO Vanilla(SGC-7556MOD)

Print Date 14.01.2014 Page 4 (7)

breathing apparatus is recommended in case of a major spill.

Environmental precautions : Keep away from drains, surface- and groundwater and soil.

Methods for cleaning up : Clean up spillage promptly. Remove ignition sources. Provide

> adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and

disposed of according to the local regulations.

7. HANDLING AND STORAGE

Handling

Advice on safe handling : Avoid excessive inhalation of concentrated vapors. Follow good

> manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned

before re-use.

If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should

be restricted to properly trained employees.

Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.

explosion

Advice on protection against fire and : Keep away from ignition sources and naked flame.

Storage

Requirements for storage areas and

containers

: Store in a cool, dry, ventilated area away from heat sources. Keep

containers upright and tightly closed when not in use.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Verify if the substances declared in section 3 have relevant national exposure limits.

Personal protective equipment

Respiratory protection : Use local exhaust ventilation around open tanks and other open

sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to

eliminate or reduce possible worker exposures.

No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation,

etc. are sufficient.

Version

Revision Date : 14.01.2014

> Telephone: +862082219838 Telefax: +862082219828



Product Hopkins-DUO Vanilla(SGC-7556MOD)

Print Date 14.01.2014 Page 5 (7)

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:

a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or

b)during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or c)if normal operational workplace vapor concentration in the air is increased due to heat;

d)during emergencies; or

e)if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.

Hygiene measures

: To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material.

To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.

Protective measures

In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110].

In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace".

Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.

The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration >= 1.0% due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state : liquid

Colour : pale yellow to yellow

Version : 1

Revision Date : 14.01.2014

Telephone: +862082219838 Telefax: +862082219828



Product Hopkins-DUO Vanilla(SGC-7556MOD)

Print Date 14.01.2014 Page 6 (7)

Odour : conforms to standard

Safety data

Flash point : $56 \, ^{\circ}\text{C}$

Ignition temperature : $> 100 \, ^{\circ}\text{C}$

Vapour pressure : 2.47 hPa

Note: Calculated

10. STABILITY AND REACTIVITY

Conditions to avoid : Remarks: Direct sources of heat.

Hazardous decomposition products : Note: Carbon monoxide and unidentified organic compounds may

be formed during combustion.

Hazardous reactions : Presents no significant reactivity hazard, by itself or in contact with

water. Avoid contact with strong acids, alkali or oxidizing agents.

11. TOXICOLOGICAL INFORMATION

There is no data available for this product. The health hazards are assessed based on the ingredients in this preparation and their concentrations.

12. ECOLOGICAL INFORMATION

Avoid contamination of soil, ground and surface water.

13. DISPOSAL CONSIDERATIONS

Product : Disposal together with normal waste is not allowed. Special disposal

required according to local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site

for recycling or disposal.

14. TRANSPORT INFORMATION

IATA

UN number : 1169

Description of the goods : Extracts, aromatic, liquid

Labels : 3 Packing group : III

IMDG_GLOBAL

UN number : 1169

Description of the goods : EXTRACTS, AROMATIC, LIQUID

Labels : 3

Version : 1

Revision Date : 14.01.2014



Product Hopkins-DUO Vanilla(SGC-7556MOD)

Print Date 14.01.2014 Page 7 (7)

Packing group : III Marine pollutant : yes

15. REGULATORY INFORMATION

Labelling according to EC Directives 1999/45/EC

Symbol(s) : Xn Harmful

N Dangerous for the environment

R-phrase(s) : R43 May cause sensitization by skin contact.

R51/53 Toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

R65 Harmful: may cause lung damage if swallowed.

S-phrase(s) : S24 Avoid contact with skin.

S37 Wear suitable gloves.

S61 Avoid release to the environment. Refer to special

instructions/ Safety data sheets.

S62 If swallowed, do not induce vomiting: seek medical advice

immediately and show this container or label.

HMIS Classification : Health hazard: 2

Chronic Health Hazard: *

Flammability: 2

Physical and chemical hazards: 0

16. OTHER INFORMATION

Further information

The information in this safety data sheet is based on the properties of the material known to IFF at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances under which it is packaged, stored or applied in the workplace. For such a safety assessment International Flavors & Fragrances holds no responsibility. This document is not intended for quality assurance purposes.

Version : 1

Revision Date : 14.01.2014