SAFETY DATA SHEET **K-SEAL**

According to Regulation (EU) No 453/2010

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name	K-SEAL
Product No.	K5501, K5516
Container size	236 ml 472 ml

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Additive for engine cooling systems.
Uses advised against	No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Supplier	Kalimex Ltd
	Unit 1
	Plumpton Green Studios
	St Helena Lane, Lewes,
	East Sussex, BN7 3DQ
	UK
	Tel: +44 (0) 1273 891162
	Fax: +44 (0) 1273 890704
	enquiries@kalimex.co.uk

1.4. Emergency telephone number

+44 (0) 1273 891162 Monday - Friday 09:00 - 17:00h

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (1999/45/EEC) N;R51/53.

Human health

Prolonged skin contact may cause redness and irritation. May cause allergic skin disorders in sensitive individuals. Spray mists may cause respiratory tract irritation.

Environment

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

2.2. Label elements

Labelling



Dangerous for the environment

Risk Phrases

Safety Phrases	R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
	S29	Do not empty into drains.
	P14	Contains 4-CHLORO-3,5-DIMETHYLPHENOL. May produce an allergic reaction.

2.3. Other hazards

This product does not contain any PBT or vPvB substances.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

4-CHLORO-3,5-DIMETHYLPHENOI	-		< 1%
CAS-No.: 88-04-0	EC No.: 201-793-8		
Classification (EC 1272/2008)		Classification (67/548/EEC)	
Acute Tox. 4 - H302		Xn;R22	
Skin Irrit. 2 - H315		R43	
Eye Irrit. 2 - H319 Skin Sens. 1 - H317		Xi;R36/38	
COPPER POWDER			1-5%
CAS-No.: 7440-50-8	EC No.: 231-159-6		
Classification (EC 1272/2008)		Classification (67/548/EEC)	
Flam. Sol. 1 - H228		F;R11.	
POLYETHYLENE GLYCOL MONO-	P-NONYLPHENYL ETHER, BR	ANCHED	1-5%
CAS-No.: 127087-87-0	EC No.:		
Classification (EC 1272/2008) Skin Irrit. 2 - H315		Classification (67/548/EEC) Xi;R38,R41.	
Eye Dam. 1 - H318			
			1-5%
Eye Dam. 1 - H318 ZINC GLUCONATE			1-5%
	EC No.: 224-736-9		1-5%
ZINC GLUCONATE	EC No.: 224-736-9		1-5%
ZINC GLUCONATE CAS-No.: 4468-02-4	EC No.: 224-736-9	Classification (67/548/EEC) N;R50/53.	1-5%

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation

Move into fresh air and keep at rest. Get medical attention if any discomfort continues. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention.

Ingestion

Rinse mouth thoroughly. Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs. Get medical attention.

Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention promptly if symptoms occur after washing.

Eye contact

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation

Spray mists irritate the respiratory system, and cause coughing and difficulties in breathing. **Ingestion**

Skin contact

Prolonged skin contact may cause redness and irritation. The product contains a small amount of sensitising substance which may provoke an allergic reaction among sensitive individuals in contact with skin.

Eye contact

May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

The severity of the symptoms described will vary dependant of the concentration and the length of exposure.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

Fire creates: Toxic gases/vapours/fumes of: Carbon monoxide (CO). Carbon dioxide (CO2). phenols and halogenated phenols

Unusual Fire & Explosion Hazards

No unusual fire or explosion hazards noted.

Specific hazards

Fire creates: Toxic gases/vapours/fumes of: Carbon monoxide (CO). Carbon dioxide (CO2). phenols and halogenated phenols

5.3. Advice for firefighters

Special Fire Fighting Procedures

Avoid breathing fire vapours. Keep run-off water out of sewers and water sources. Dike for water control.

Protective equipment for fire-fighters

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with eyes.

6.2. Environmental precautions

Avoid discharge to the aquatic environment.

6.3. Methods and material for containment and cleaning up

Dike far ahead of larger spills for later disposal. Collect with absorbent, non-combustible material into suitable containers. Flush with plenty of water to clean spillage area. Do not let washing down water contaminate ponds or waterways. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.

6.4. Reference to other sections

Wear protective clothing as described in Section 8 of this safety data sheet. See section 11 for more detailed information on health effects and symptoms. Collect and dispose of spillage as indicated in section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Read and follow manufacturer's recommendations. Avoid spilling, skin and eye contact. Wash hands after handling. Do not eat, drink or smoke when using the product.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed original container.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

8.1. Control parameters

Name	STD	TWA	- 8 Hrs	STEL	- 15 Min	Notes
COPPER POWDER	WEL		0,2 mg/m3		2 mg/m3	as Cu

WEL = Workplace Exposure Limit.

8.2. Exposure controls

Engineering measures

Provide adequate ventilation.

Respiratory equipment

No specific recommendation made, but respiratory protection must be used if the general level exceeds the recommended occupational exposure limit.

Hand protection

Protective gloves should be used if there is a risk of direct contact or splash. Use protective gloves made of: Rubber (natural, latex). Nitrile. or Polyvinyl chloride (PVC). The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Eye protection

Wear approved chemical safety goggles where eye exposure is reasonably probable.

Hygiene measures

Wash promptly with soap & water if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Wash hands after handling. When using do not eat, drink or smoke.

Environmental Exposure Controls

Keep container tightly sealed when not in use. Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

A	11.14
Appearance	Liquid
Colour	Light brown.
Odour	Mild.
Solubility	Soluble in water.
Initial boiling point and boiling range (*	°C)
No information available.	
Melting point (°C)	
No information available.	
Relative density	1.045 @ 21.1°C
Vapour density (air=1)	
No information available.	
Vapour pressure	
No information available.	
Evaporation rate	
No information available.	
pH-Value, Conc. Solution	5.2
Viscosity	
No information available.	
Decomposition temperature (°C)	
No information available.	
Odour Threshold, Lower	
No information available.	
Odour Threshold, Upper	
No information available.	
Flash point (°C)	
No information available.	
Auto Ignition Temperature (°C)	
No information available.	
Elementative Limit Lower(%)	

Flammability Limit - Upper(%)

No information available.

Partition Coefficient

(N-Octanol/Water) Not determined.

Explosive properties

Not considered to be explosive.

Oxidising properties

Does not meet the criteria for oxidising.

9.2. Other information

Not determined.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reaction with: Acids. Alkalis. Strong oxidising substances. Alkali metals.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use. Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions

Not known. Hazardous Polymerisation Will not polymerise.

10.4. Conditions to avoid

Avoid contact with strong oxidisers. High temperatures.

10.5. Incompatible materials

Materials To Avoid

Avoid contact with acids and alkalis. Strong oxidising substances. Alkali metals.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity:

Acute Toxicity (Oral LD50)

No information available.

Based on available data the classification criteria are not met.

Acute Toxicity (Dermal LD50)

No information available.

Based on available data the classification criteria are not met.

Acute Toxicity (Inhalation LC50)

No information available. Based on available data the classification criteria are not met.

Skin Corrosion/Irritation:

Not irritating. Based on available data the classification criteria are not met.

Serious eye damage/irritation:

Not Irritating. Based on available data the classification criteria are not met.

Respiratory or skin sensitisation:

Based on available data the classification criteria are not met. The product contains a small amount of sensitising substance which may provoke an allergic reaction among sensitive individuals after repeated contact.

Does not contain any substances known to be mutagenic.

Carcinogenicity:

Does not contain any substances known to be carcinogenic.

Reproductive Toxicity - Development

Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - repeated exposure:

STOT - Repeated exposure

No information available.

Not classified as a specific target organ toxicant after repeated exposure.

Toxicological information on ingredients.

4-CHLORO-3,5-DIMETHYLPHENOL (CAS: 88-04-0)

Acute toxicity:

Acute Toxicity (Oral LD50) > 3830 mg/kg Rat Miscellaneous sources. Based on available data the classification criteria are not met. Acute Toxicity (Dermal LD50) No information available. Based on available data the classification criteria are not met. Acute Toxicity (Inhalation LC50) No information available. Based on available data the classification criteria are not met.

Skin Corrosion/Irritation:

Irritating to skin.

Serious eye damage/irritation:

Irritating to eyes.

Respiratory or skin sensitisation:

Respiratory sensitisation No information available. Skin sensitisation

Data lacking. May cause sensitisation by skin contact.

Germ cell mutagenicity:

Genotoxicity - In Vitro No information available. Based on available data the classification criteria are not met.

Carcinogenicity:

Carcinogenicity No information available. Based on available data the classification criteria are not met.

Reproductive Toxicity:

Reproductive Toxicity - Fertility No information available. Based on available data the classification criteria are not met.

K-SEAL ZINC GLUCONATE (CAS: 4468-02-4)

Acute toxicity:

Acute Toxicity (Oral LD50)

> 5000 mg/kg Rat

Miscellaneous sources.

Based on available data the classification criteria are not met.

Acute Toxicity (Dermal LD50)

No information available.

Based on available data the classification criteria are not met.

Acute Toxicity (Inhalation LC50)

No information available. Based on available data the classification criteria are not met.

Skin Corrosion/Irritation:

Based on available data the classification criteria are not met.

Serious eye damage/irritation:

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation:

Respiratory sensitisation

No information available.

Skin sensitisation

No information available. Based on available data the classification criteria are not met.

Germ cell mutagenicity:

Genotoxicity - In Vitro No information available. Based on available data the classification criteria are not met.

Carcinogenicity:

Carcinogenicity No information available. Based on available data the classification criteria are not met.

Reproductive Toxicity:

Reproductive Toxicity - Fertility No information available.

Based on available data the classification criteria are not met.

K-SEAL POLYETHYLENE GLYCOL MONO-P-NONYLPHENYL ETHER, BRANCHED (CAS: 127087-87-0)

Acute toxicity:

Acute Toxicity (Oral LD50)

~ 16000 mg/kg Rat Miscellaneous sources. Based on available data the classification criteria are not met.

Acute Toxicity (Dermal LD50)

~ 4490 mg/kg Rabbit
 Miscellaneous sources.
 Based on available data the classification criteria are not met.
 Acute Toxicity (Inhalation LC50)
 No information available.
 Based on available data the classification criteria are not met.

Skin Corrosion/Irritation:

Irritating to skin.

Serious eye damage/irritation:

Highly Irritating. Risk of serious damage to eyes.

Respiratory or skin sensitisation:

Respiratory sensitisation No information available.

Skin sensitisation

No information available.

Based on available data the classification criteria are not met.

Germ cell mutagenicity:

Genotoxicity - In Vitro No information available. Based on available data the classification criteria are not met.

Carcinogenicity:

Carcinogenicity No information available. Based on available data the classification criteria are not met.

Reproductive Toxicity: Reproductive Toxicity - Fertility No information available. Based on available data the classification criteria are not met.

K-SEAL COPPER POWDER (CAS: 7440-50-8)

Acute toxicity:

Acute Toxicity (Oral LD50)

~ 2500 mg/kg Rat REACH dossier information Based on available data the classification criteria are not met.

Acute Toxicity (Dermal LD50)

> 2000 mg/kg Rat
 REACH dossier information
 Based on available data the classification criteria are not met.

Skin Corrosion/Irritation:

Not irritating.

<u>Serious eye damage/irritation:</u> Slightly Irritating. Based on available data the classification criteria are not met.

Respiratory or skin sensitisation:

Respiratory sensitisation No information available.

Skin sensitisation No information available. Based on available data the classification criteria are not met.

Germ cell mutagenicity:

Genotoxicity - In Vitro Bacterial Reverse Mutation Test REACH dossier information Negative. Based on available data the classification criteria are not met. Genotoxicity - In Vivo DNA damage and/or repair: REACH dossier information Negative. Based on available data the classification criteria are not met.

Carcinogenicity:

Carcinogenicity Data lacking. Based on available data the classification criteria are not met.

Reproductive Toxicity:

Reproductive Toxicity - Fertility Two-generation study: NOAEL 1500 ppm Oral Rat P REACH dossier information Based on available data the classification criteria are not met.

Reproductive Toxicity - Development

REACH dossier information

Based on available data the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

12.1. Toxicity

Acute Fish Toxicity

No information available.

Ecological information on ingredients.

4-CHLORO-3,5-DIMETHYLPHENOL (CAS: 88-04-0)

Acute Toxicity - Fish

LC50 96 hours ~ 0.36 mg/l Onchorhynchus mykiss (Rainbow trout) Miscellaneous sources. Acute Toxicity - Aquatic Invertebrates EC50 48 hours ~ 7.7 mg/l Daphnia magna Miscellaneous sources.

ZINC GLUCONATE (CAS: 4468-02-4)

Acute Fish Toxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. No data available. POLYETHYLENE GLYCOL MONO-P-NONYLPHENYL ETHER, BRANCHED (CAS: 127087-87-0)

Acute Fish Toxicity

No information available.

COPPER POWDER (CAS: 7440-50-8)

Acute Toxicity - Fish

LC50 96 hours ~ 0.2 mg/l Pimephales promelas (Fat-head Minnow) REACH dossier information Estimated Value Acute Toxicity - Aquatic Invertebrates EC50 48 hours ~ 1 mg/l Daphnia magna

@ pH 7.4 REACH dossier information

12.2. Persistence and degradability

Degradability

There are no data on the degradability of this product.

12.3. Bioaccumulative potential

Bioaccumulative potential

No data available on bioaccumulation.

Partition coefficient Not determined.

12.4. Mobility in soil

Mobility:

The product is water soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Recover and reclaim or recycle, if practical. Do not allow to enter drains, sewers or watercourses.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

UN No. (ADR/RID/ADN)	3082
UN No. (IMDG)	3082
UN No. (ICAO)	3082

Proper Shipping Name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ZINC GLUCONATE)

14.3.	Transport	hazard	class	(es))

ADR/RID/ADN Class	9
ADR/RID/ADN Class	Class 9: Miscellaneous dangerous substances and articles.
ADR Label No.	9
IMDG Class	9
ICAO Class/Division	9
Transport Labels	



14.4. Packing group

ADR/RID/ADN Packing group	III
IMDG Packing group	III
ICAO Packing group	III

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant



14.6. Special precautions for user

EMS	F-A, S-F
Emergency Action Code	•3Z
Hazard No. (ADR)	90
Tunnel Restriction Code	(E)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not relevant

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Guidance Notes

Workplace Exposure Limits EH40.

EU Legislation

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

Revision Comments

Format updated in accordance with Regulation (EU) No. 453/2010.

Format updated in accordance	e with Regulation (EU) No. 453/2010.
Revision Date	12-2012
Revision	1
Supersedes date	09-2007
Risk Phrases In Full	
R22	Harmful if swallowed.
R11	Highly flammable
R36/38	Irritating to eyes and skin.
R38	Irritating to skin.
R43	May cause sensitisation by skin contact.
R41	Risk of serious damage to eyes.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Hazard Statements In Full	
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H228	Flammable solid.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.
H410	Very toxic to aquatic life with long lasting effects.
H400	Very toxic to aquatic life.